

NORTH BAY-MATTAWA  
CONSERVATION  
AUTHORITY

69 Bowes Street  
Parry Sound, ON, P2A 2L5  
705-746-7566  
705-746-7553 Fax

15 Janey Avenue  
North Bay, ON, P1C 1N1  
705-474-5420  
705-474-9793 Fax

---

## NOTICE OF APPROVAL

---

Enclosed is the authorized BUILDING PERMIT to install a sewage disposal system. If you have any questions pertaining to this permit, please contact the Inspector.

The BUILDING PERMIT has an **EXPIRATION DATE** and allows a specific type of sewage disposal system to be installed in an approved location. Changes in type of system, location or major components are **NOT** permitted without approval prior to the installation.

After the system is installed it **MUST** be inspected **PRIOR** to backfilling and again after the completion of backfilling. If it is found to be satisfactory and ALL requirements (including filter graph(s), maintenance agreements, authorizations, etc.) are received, a **NOTICE OF COMPLETION** will be issued.

If you hire a contractor to install your system, ensure that he/she are properly licensed, that they are advised of the exact location of all property lines, wells etc.


Please note that the GOLD COPY is to be kept by the property owner for their records. If a YELLOW COPY is included with this letter, it is required that it be given to the licensed septic installer when they are hired. The YELLOW COPY is then to be posted on the site where construction will be taking place.

If you have any questions or concerns, please call the Parry Sound office at the number stated above.

Sincerely,

The North Bay-Mattawa Conservation Authority  
Parry Sound Office

# THIS WORK IS AUTHORIZED



**NORTH BAY-MATTAWA  
CONSERVATION  
AUTHORITY**

**ONSITE SEWAGE SYSTEM PERMIT  
MUST BE POSTED PRIOR TO CONSTRUCTION**

**PERMIT #**  
Ross-02-14

**THIS WORK IS AUTHORIZED FOR THE CONSTRUCTION OF AN ONSITE SEWAGE SYSTEM**

New Construction  
 Replacement / Alteration  
 Demolition of an Onsite Sewage System  
 Conditional Permit (see conditions)

**Property Owner** Trinz, Peter  
**Address** 7 Rice Street  
**District /Twp** Rossau District of Parry Sound  
**Roll #** 4903-020-002-08500-0000  
**Legal Desc:** Lot 13+14 Plan 163 Lot 43

STAMP

**MANDATORY INSPECTIONS - Failure to request mandatory inspections may be subject to penalties.**

**Substantial Completion of Installation**  
 Current Filter Graphs must be submitted to the NBMCA prior to scheduling a substantial completion inspection. The following **MUST BE FULLY EXPOSED** prior to inspection:

- Tanks
- Distribution box
- Any/all increased contact area
- Geotextile or untreated building paper on site
- All distribution pipes
- Pumps, pump chamber and alarms installed and operational


**Final Completion Inspection:** Grading of side slopes, mantle complete.  
 Topsoil and shallow rooted vegetation covering a minimum 60% of system including the mantle.

**NBMCA Office Use Only**

Inspected and Recommended by: *Karen Fick* (SSI) Approved by: *Karen Fick*  
 Dated: (day/month/year): 17/07/2014 (I/CBO-SS) / (I/dcbo-ss)  
**PERMIT EXPIRATION DATE:** (day/month/year): 17/07/2015

69 Bowes Street Parry Sound, Ontario P2A 2L5 P: (705) 746-7566 F: (705) 746-7553 www.nbmca.on.ca  
 15 Janey Avenue North Bay, Ontario P1C 1N1 P: (705) 474-5420 F: (705) 474-9793 www.nbmca.on.ca

# Onsite Sewage System



**NORTH BAY-MATTAWA  
CONSERVATION  
AUTHORITY**

# PERMIT

(Page 2)

Ross-02-14  
Trinzi, Peter  
Lot # 4923-020-000 03300 0000

Total Number of Bedrooms	3
Total Floor Area of Buildings (m <sup>2</sup> )	200
Total Fixture Units	23.5

Description of Fixture	Total # Fixtures
Sink(s)	4
Toilet(s)	3
Bath Tub/Shower (s)	2
Machine(s)	2
Other	1

<input type="checkbox"/> <b>CLASS 2 - GREYWATER PIT - PERMIT #</b>			
Calculated Sidewall Area:		m <sup>2</sup>	
Dimensions of Pit:	Length	m / Width	m / Depth
<input checked="" type="checkbox"/> <b>SEPTIC TANK - PERMIT #</b> Ross-02-14			
New: <input checked="" type="checkbox"/>	Existing: <input type="checkbox"/>	Volume of Tank:	3600 Litres
<input type="checkbox"/> <b>TREATMENT UNIT - PERMIT #</b>			
Make/Model:	Operating Capacity		Litres/Day
<input type="checkbox"/> <b>CLASS 4 TRENCH BED - PERMIT #</b>			
Raised Bed:	Yes No	Raised Height of Bed:	m
Imported Mantle:	Yes No	Size of Mantle Required:	m <sup>2</sup>
Approved for Pump:	Yes No	Total Length of Pipe:	m
<input checked="" type="checkbox"/> <b>CLASS 4F FILTER BED - PERMIT #</b> Ross-02-14			
Raised Bed:	Yes <u>No</u>	Raised Height of Bed:	m
Imported Mantle:	<u>Yes</u> + <u>No</u>	Size of Mantle Required:	240 m <sup>2</sup>
Approved for Pump:	Yes No	Filter Bed Area:	24 m <sup>2</sup> Size of Contact Area: 24 m <sup>2</sup>
<input type="checkbox"/> <b>CLASS 5 HOLDING TANK</b>			
Size of Tank:		Litres	
<input type="checkbox"/> <b>OTHER TREATMENT UNIT / AREA BED - PERMIT #</b>			
Make/Model:	Model Flow Rate:		Litres/Day
Raised Height:	m	Stone Area:	m <sup>2</sup> Sand Area: m <sup>2</sup>

### NBMCA OFFICE USE ONLY

Inspected/Recommended by: <small>(SSI)</small>	Approved by: <small>(/CBO-SS) / (/dcbo-ss)</small>
DATED: (day/month/year)	EXPIRY: (day/month/year)

69 Bowes Street Parry Sound, Ontario P2A 2L5 P: (705) 746-7566 F: (705) 746-7553 www.nbmca.on.ca  
 15 Janey Avenue North Bay, Ontario P1C 1N1 P: (705) 474-5420 F: (705) 474-9793 www.nbmca.on.ca

WHITE - Office

CANARY - Contractor

PINK - Municipality

GOLDENROD - Owner


Rev 03/10



PETER TRINZ

7 RICE STREET

ROSSEAU



COPY

ROSS-02-14